



Technical Data

Project Name : Untitled project 2025-02-14 06:47:38.883	Project ID :
Company Name : Department : Phone number : e-mail address :	

Requested Data

Flow : 2.84 m ³ /h Head : 156.4 m	Fluid : Water Density : 0.9983 kg/dm ³ Viscosity : 1.005 mm ² /s Temperature : 20 °C Vapour pressure at t A : 0.0234 bar
---	---

Pump

Operating Data

Pump Model : MVS-2/26T No. of Stages : 26 Inlet / Outlet size : 25 Speed : 2900 1/min Direction of Rotation : Counter clockwise Impeller type : Radial impeller Impeller Design : Closed Pump Weight (Approx) : 32.9 kg Pump Standard : CRI Standard	Flow : 2.832 m ³ /h Head : 155.5 m Shutoff Head : 252.5 m Efficiency : 49.4 %
---	---

Motor

Motor Model : MV 3P 4.0HP (IE2) Frequency/Efficiency class : 50 Hz IE2 = High Efficiency Rated Voltage : 380V-415V Δ / 220V-240V Δ Rated current : 6.5A / 11.3A Phase / Rated Power P2 : 3~ 3 kW Speed : 2810 1/min Efficiency : 84.6 % Motor Weight (Approx) : 21.2 kg Motor Standard : IEC-60034-30 / IS-12615	Insulation Class : F Frame size : 100 Degree of Protection : IP 55 Method of Starting : Direct starting Service factor : 1 Power factor : 0.81
---	---

Material of Construction

Flange Connections

Pump Outer Shell : AISI 304 Pump Head : C.I Pump Head Cover : AISI 304 Pump Base : AISI 304 Base Plate : C.I Impeller : AISI 304 MECHANICAL SEAL : SiC/SiC/FKM Bush : SiC / SiC Diffuser (Chamber) : AISI 304 Pump Shaft : AISI 431 Wearing Ring : Teflon O Ring : EPDM Coupling : Mild Steel	Suction Flange Pressure rating : PN 25 Nominal pipe size : DN 25 Standard : DIN EN 1092-1:2008-09 Discharge Flange Pressure rating : PN 25 Nominal pipe size : DN 25 Standard : DIN EN 1092-1:2008-09
--	--



C.R.I. PUMPS
Pumping trust. Worldwide.

Performance Curve

Pump Model
MVS-2/26T

Project Name : Untitled project 2025-02-14 06:47:38.883

Project ID :

Company Name :


Department :

Phone number :

e-mail address :

Curve Tolerance ISO : 9906, Grade-3B

Speed 2900 rpm






Project Name : Untitled project 2025-02-14 06:47:38.883

Project ID :

Company Name :
Department :
Phone number :
e-mail address :



In View of continuous developments, The information/specifications/Description/ Illustrations are subject to change without notice.

Dimensions inmm

L2	361		
L4	723		
X	125		
Y	176		
Z	163		