



Project Name : Untitled project 2025-03-18 12:11:26.344	Project ID :
Company Name :	
Department :	
Phone number :	
e-mail address :	

Requested Data

Flow : 11.7 m ³ /h	Fluid : Water
Head : 81.97 m	Density : 0.9983 kg/dm ³
	Viscosity : 1.005 mm ² /s
	Temperature : 20 °C
	pH-value at t A :
	Vapour pressure at t A : 0.0234 bar

Pump

Pump Model : S4S-14/16	Minimum Continuous Flow : 4 m ³ /h
No. of Stages : 16	Flow Nominal : 11.7 m ³ /h
Outlet Size : 50	Max- : 18.98 m ³ /h
Speed : 2900 1/min	Min- : 4 m ³ /h
Direction of Rotation : Counter clockwise	Head Nominal : 81.88 m
Impeller type : Radial impeller	Max- : 101.8 m
Impeller Design : Closed	Min- : 35 m
pump weight(Approx) : 14.02 kg	Efficiency Overall Efficiency : 46.22 %
Pump Standard :	Pump Efficiency : 58.51 %

Motor

Motor Model : L4A-75TI	Motor Standard :
Frequency : 50 Hz	Insulation Class : F
Phase : 3~	Degree of Protection : IP 68
Rated Voltage : 380 V	Method of Starting : Direct starting
Rated current : 17.6 A	Service factor : 1
Rated Power P2 : 7.5 kW	Power factor : 0.85
Speed : 2900 1/min	No.of.starts per hour : 30
Efficiency : 79 %	Starting current :
Motor Weight (Approx) : 31 kg	Starting torque :

Material of Construction

Pump		Motor	
Check Valve Housing	S.S 304	Outer Shell	S.S 304
Check Valve Disc	S.S 304	Shaft Extension	17-4 PH
Check Valve Seat	NBR/Viton	O Ring	High Nitrile Rubber
Diffuser Chamber	S.S 304	MECHANICAL SEAL	Carbon / Ceramic
Impeller	S.S 304	Diaphragm	High Nitrile Rubber
Split Cone with Nut	S.S 304	Cable	TPE / EPDM
Impeller Wearing / Seal Ring	NBR/Viton		
Uphrust Washer / Stop Ring	S.S 304/Teflon,S.S 420/Bronze		
Intermediate Bearing	NBR/Viton		
Suction Interconnector	S.S 304		
Inlet Screen	S.S 304		
Pump Shaft	S.S 304		
Coupling Splines	S.S 329		
Locking Strap	S.S 304		
Cable Guard	S.S 304		




Project Name : Untitled project 2025-03-18 12:11:26.344

Project ID :

Company Name :
Department :
Phone number :
e-mail address :

Curve Tolerance ISO : 9906, Grade-3B

Speed 2900 rpm






Project Name : Untitled project 2025-03-18 12:11:26.344

Project ID :

Company Name :
Department :
Phone number :
e-mail address :



In View of continuous developments, The information/specifications/Description/ Illustrations are subject to change without notice.

Dimensions in mm

H	1288		
OD	97		
RP	50		



Project Name : Untitled project 2025-03-18 12:11:26.344	Project ID :
Company Name : Department : Phone number : e-mail address :	

In View of continuous developments, The information/specifications/Description/ Illustrations are subject to change without notice.

Dimensions in mm

--	--	--	--